

GRAND MORAINÉ GROWERS - 2009

Latin Name	Common Name	Height	Sun	Moisture	Soil	Bloom	Habitat & Notes	3½ inch Pot	5½ inch or 1 Gal	WILDFLOWERS - PERENNIALS & BIENNIALS	
										RETAIL PRICE	
<i>Actaea pachypoda</i>	White Baneberry	1-2 ft	S	M	L	White, June	Deciduous woodlands, white berries late summer			4.94	
<i>Actaea rubra</i>	Red Baneberry	1-2 ft	S	M	L	White, June	Deciduous woodlands, red berries mid summer			4.94	
<i>Agastache foeniculum</i>	Blue Giant-hyssop	3-4 ft	F	M	A	Violet, August	Meadows, prairies, attracts butterflies & bees			3.60	
<i>Allium canadense</i>	Canada Wild Onion	12-16 in	P	M	A	White, June	Open woods, prairies, meadows			3.60	
<i>Allium cernuum</i>	Nodding Onion	12-16 in	F	M-D	A,S	Lavender, July	Prairies, open woods, rocky outcrops			3.60	
<i>Allium tricoccum</i>	Wild Leek	8-10 in	F	M	L	White, June	Rich deciduous woodlands, edible			4.94	
<i>Anaphalis margaritacea</i>	Pearly Everlasting	1-2 ft	F	M-D	A,S	White, July-Sept	Meadows, attractive silvery foliage			3.60	
<i>Anemone canadensis</i>	Canada Anemone	1-2 ft	F-P	W	L,A	White, June	Wetlands, shorelines, moist meadows, aggressive			3.60	
<i>Anemone cylindrica</i>	Long-headed Anemone	2-3 ft	F	D-M	S,C	Green, Jun-July	Meadows & prairies, essential in restoration			3.60	
<i>Anemone multifida</i>	Red Anemone	6-8 in	F	D-M	S,A	Red, May-June	Shores & rocky banks, compact, striking red blooms			4.94	
<i>Anemone virginiana</i>	Thimbleweed	2-3 ft	F-P	M-D	S,C	Green, July	Rocky, dry open woods, woodland edges, banks			3.60	
<i>Aquilegia canadensis</i>	Wild Columbine	1-2 ft	S-F	M	A,C,S	Red/Yellow, June	Woodlands to open meadows			3.60	
<i>Aralia nudicaulis</i>	Wild Sarsaparilla	6-15 in	S	M-D	A,C,L	White, May-June	Woodlands, adaptable groundcover			4.94	
<i>Aralia racemosa</i>	Spikenard	3-6 ft	S	M	L	Green, July	Rich deciduous woods, purple berries in summer			4.94	
<i>Arisaema triphyllum</i>	Jack-in-the-Pulpit	1-2 ft	S	M	L	Green/Brown, May	Woodland habitat, tolerates acidic soil			4.94	
<i>Asarum canadense</i>	Wild Ginger	6-8 in	S	M	L	Red, April-May	Rich, deciduous woodlands, excellent groundcover			4.94	
<i>Asclepias incarnata</i>	Swamp Milkweed	2-4 ft	F	W	L,C	Pink, July-Aug	Swamps, moist meadows, attracts Monarch butterflies			3.60	
<i>Asclepias tuberosa</i>	Butterfly Milkweed	18-30 in	F	D	S,A	Orange, July	Prairies, dry meadows, attracts Monarch butterflies			3.60	
<i>Aster cordifolius</i>	Heart-leaved Aster	2-4 ft	P-S	M	A,L	Lavender, Sept	Deciduous woodlands, heart-shaped leaves			3.60	
<i>Aster ericoides</i>	Heath Aster	1-2 ft	F	D-M	S,A	White, Sept-Oct	Dry, open places, drought tolerant, tiny delicate flowers			3.60	
<i>Aster laevis</i>	Smooth Blue Aster	2-4 ft	F	D-M	S,A	Blue/Violet, Aug	Prairies, dry meadows, fields & open woods			3.60	
<i>Aster lateriflorus</i>	Hairy Calico Aster	2-3 ft	F-P	M-D	A,S	White, Aug-Oct	Open woodlands, meadows and edges			3.60	
<i>Aster lowianus</i>	Lowrie's Aster	2-4 ft	S-P	M-D	A,L	Lavender, Sep-Oct	Woodlands			3.60	
<i>Aster macrophyllum</i>	Large-leaved Aster	2-4 ft	P-F	M	A,C	Lavender, Aug-Oct	Dry, open deciduous woods			3.60	
<i>Aster novae-angliae</i>	New England Aster	2-6 ft	F-P	M	A,C	Purple, Aug-Oct	Moist meadows, open woods, fields, long bloomer			3.60	
<i>Aster oolentangiensis</i>	Sky-blue Aster	2-4 ft	F	D-M	S,A	Pale Blue, Sept-Oct	Prairies, dry open woods, thickets & meadows			3.60	
<i>Aster puniceus</i>	Swamp Aster	3-5 ft	F-P	W	A,C,L	Lavender, Sept-Oct	Swamps, wet meadows & other low wet places			3.60	
<i>Aster shortii</i>	Short's Aster	2-4 ft	P-F	M-D	A,L	Violet, Sept-Oct	Open woodlands & rocky slopes, aggressive			3.60	
<i>Aster umbellatus</i>	Flat-topped White Aster	3-6 ft	F	M-W	L,C	White, Aug-Sept	Swamp edges, wet meadows, useful in restoration			3.60	
<i>Astragalus canadensis</i>	Canada Milkvetch	2-4 ft	F-P	M	A	White, July-Aug	Open woodlands, riverbanks & shores			3.60	
<i>Caltha palustris</i>	Marsh Marigold	12-18 in	F-P	W	A,C,L	Yellow, April-May	Swamps, wetlands, edges of streams, open wet woods			4.94	
<i>Campanula rotundifolia</i>	American Harebell	12-18 in	F	D-M	S	Blue, June-Sept	Open dry woods, meadows, cliffs & rocky shorelines			3.60	
<i>Caulophyllum thalictroides</i>	Blue Cohosh	1-2 ft	S-P	M	L,A	Green, May	Rich, deciduous woods, produces blue berries in fall			4.94	
<i>Chelone glabra</i>	Turtlehead	2-3 ft	F-P	W	L,C,A	White, Aug-Sept	Swamps, wetlands, edges of streams, wet woods			3.60	
<i>Coreopsis lanceolata</i>	Lanced-leaved Coreopsis	1-2 ft	F	D-M	S-A	Yellow, June-Aug	Prairies & dry meadows, compact, drought tolerant			3.60	
<i>Coreopsis tripteris</i>	Tall Coreopsis	5-7 ft	F-P	M-D	A	Yellow, Aug-Sept	Meadows, prairies, thickets & edges			3.60	
<i>Desmodium canadense</i>	Showy Tick-trefoil	2-5 ft	F-P	D-M	A,S	Pink, July-Aug	Prairies, meadows & savannas, drought tolerant			3.60	
<i>Echinacea purpurea</i>	Purple Coneflower	2-4 ft	F-P	M	A	Purple, July-Aug	Meadows & prairies			3.60	
<i>Equisetum variegatum</i>	Variiegated Horsetail	8-12 in	F	M-W	L,S	n/a	Wet thickets, bogs & sandy shores, rare species			3.60	
<i>Erigeron pulchellus</i>	Robin's Plantain	6-12 in	F	M-D	A,S	Pink, May-June	Fields, open woods & streambanks			3.60	
<i>Eryngium yuccifolium</i>	Rattlesnake Master	2-4 ft	F	D-M	S,C,A	White, July-Aug	Prairies, dry meadows & open woods			3.60	
<i>Erythronium americanum</i>	Yellow Trout Lily	4-8 in	P-S	M	L	Yellow, May	Rich upland deciduous woods			4.94	
<i>Eupatorium maculatum</i>	Joe-pye Weed	3-6 ft	F-P	W-M	L,C,A	Pink, July-Aug	Marshes & wet meadows, attracts butterflies			3.60	
<i>Eupatorium perfoliatum</i>	Boneset	2-5 ft	F-P	W	L,C,A	White, Aug-Sept	Marshes & wet meadows, attracts butterflies			3.60	
<i>Eupatorium rugosum</i>	White Snakeroot	2-5 ft	P-S	M	L	White, Sept	Deciduous woods, valued in woodland restoration			3.60	
<i>Fragaria virginiana</i>	Wild Strawberry	3-6 in	F-P	M	A,C	White, Apr-May	Meadows & open woodlands, good groundcover			3.60	
<i>Gaillardia aristata</i>	Blanket Flower	12-16 in	F	D	S,A	Red/Yellow, Jul-Sept	Prairies, compact & striking, drought tolerant			3.60	
<i>Gentiana clausa</i>	Bottle Gentian	1-2 ft	P-F	M	L,A	Blue, Aug-Oct	Moist open woods & meadows, uncommon & unusual			3.60	
<i>Geranium maculatum</i>	Wild Geranium	14-18 in	S-P	M	L,A	Pink, May	Deciduous woods & clearings, attractive foliage			4.94	
<i>Geum macrophyllum</i>	Large-leaved Avens	1-3 ft	F-P	M	L	Yellow, June-July	Moist open woods & thickets			3.60	
<i>Geum rivale</i>	Purple Avens	1-3 ft	F	M-W	A,C,L	Yellow/Purple - June	Swamps & wet meadows, showy flowers			3.60	
<i>Geum triflorum</i>	Prairie Smoke	8-10 in	F	D-M	S-A	Pink, May	Prairies, dry meadows, open woods, compact/attractive			4.94	
<i>Helianthus decapetalus</i>	Thin-leaved Sunflower	3-5 ft	F-P	M	A,C,L	Yellow, July-Sept	Open woods, thickets, streambanks			3.60	
<i>Helianthus divaricatus</i>	Rough Woodland Sunflower	2-5 ft	F-P	M-D	A,C,S	Yellow, Aug	Open woodlands, edges and meadows, aggressive			3.60	
<i>Helianthus giganteus</i>	Tall Wild Sunflower	6-10 ft	F	M-W	A,C,L	Yellow, Aug-Oct	Swamps, moist meadows & thickets			3.60	
<i>Helianthus grosseserratus</i>	Saw-toothed Sunflower	8-10 ft	F	W-M	A,C,L	Yellow, Aug-Oct	Bottomlands, damp prairies & other moist places			3.60	
<i>Heuchera richardsonii</i>	Alum Root	1-3 ft	F-P	D-M	S,A	White/Green, June	Prairies & dry open woods, attractive deep green foliage			3.60	
<i>Hydrophyllum canadense</i>	Broad-leaved Waterleaf	8-24 in	S-P	M	L	White, May-June	Rich deciduous woods			4.94	
<i>Hydrophyllum virginianum</i>	Virginia Water-leaf	12-16 in	P-S	M	L	White, May-June	Moist deciduous woods and clearings			4.94	
<i>Hypericum pyramidatum</i>	Great St. John's-wort	2-5 ft	F	M	A,L,C	Yellow, June - Aug	Meadows & streambanks, large showy blooms			3.60	
<i>Iris versicolor</i>	Wild Blue-flag	3-4 ft	F-P	W-M	L,A	Violet, June	Shores, swamps & wet meadows			3.60	
<i>Laportea canadensis</i>	Canada Nettle	2-3 ft	S-P	M	L,A	White, Aug-Sept	Moist deciduous woods			3.60	
<i>Lespedeza capitata</i>	Round-headed Bush Clover	2-5 ft	F	D	S,A	Purple, Aug-Sept	Open dry woods, sand dunes & prairies, Pea family			3.60	
<i>Liatris cylindracea</i>	Slender Blazing Star	8-18 in	F	D	S,A	Purple, July-Aug	Prairies & dry open meadows			3.60	
<i>Liatris pycnostachya</i>	Prairie Blazing Star	2-4 ft	F	M-D	A,S,C	Purple, July-Aug	Meadows, prairies & open woods			3.60	
<i>Liatris spicata</i>	Spiked Blazing Star	2-5 ft	F	M	A,L,C	Purple, July-Aug	Moist meadows & prairies			3.60	
<i>Lilium canadense</i>	Wild Yellow Canada Lily	2-5 ft	F-P	M-W	L,C,A	Yellow, July	Moist meadows, wetlands			3.60	
<i>Lilium michiganense</i>	Michigan Lily	3-6 ft	F-P	M-W	L,C,A	Orange, July	Moist meadows, wetlands			3.60	
<i>Lobelia cardinalis</i>	Cardinal Flower	2-5 ft	F-P	W-M	L,A	Red, Aug-Sept	Wet meadows, edges of swamps & streams			3.60	
<i>Lobelia siphilitica</i>	Giant Lobelia	2-4 ft	F-P	W-M	L,A	Blue, Sept	Open wet woodlands, meadows & edges			3.60	
<i>Lupinus perennis</i>	Wild Lupine	24-30 in	F-P	M-D	S	Blue, May-June	Prairies, savannas, dry open woods & barrens			3.60	
<i>Maianthemum racemosum</i>	False Solomon's Seal	2-3 ft	S-P	M	L	White, May-June	Woodlands			4.94	
<i>Maianthemum stellatum</i>	Starflower False Sol. Seal	1-2 ft	P-F	M	S,L,A	White, May-June	Moist and especially sandy woods, meadows & shores			4.94	
<i>Mimulus ringens</i>	Monkey-flower	2-3 ft	F-P	W-M	L	Purple, Aug	Marshes, swamps & wet meadows			3.60	
<i>Mitella diphylla</i>	Bishop's Cap / Miterwort	6-10 in	S-P	M	L,A	White, May-June	Rich deciduous woods, compact & delicate groundcover			4.94	
<i>Monarda fistulosa</i>	Wild Bergamot	2-4 ft	F-P	D-M	A,S,C	Pink, July-Aug	Prairies & meadows, attracts butterflies & pollinators			3.60	

Culture: Sun: F=Full P=Part Shade S=Full Shade

Moisture: D=Dry M=Moist W=Wet

Soil: S=Sand/Gravel C=Clay L=Loam/Organic A=Average

GRAND MORAINÉ GROWERS - 2009

Latin Name	Common Name	Height	Sun	Moisture	Soil	Bloom	Habitat & Notes	3½ inch Pot	5½ inch or 1 Gal
------------	-------------	--------	-----	----------	------	-------	-----------------	-------------	------------------

**WILDFLOWERS - PERENNIALS & BIENNIALS (CONTINUED)**

RETAIL PRICE

<i>Oenothera missouriensis</i>	Missouri Primrose	8-12 in	F	D	S,A	Yellow, June-July	Dry prairies, rocky barrens in calcareous soil	3.60	
<i>Oenothera perennis</i>	Small Sundrops	6-12 in	F	M-D	A	Yellow, July	Fields, meadows, open woods, compact plant	3.60	
<i>Parthenium integrifolium</i>	Wild Quinine	2-3 ft	F	M-D	A,C,S	White, Aug-Sept	Prairies, dry open woods & meadows	3.60	
<i>Penstemon digitalis</i>	Foxglove Beard-tongue	3-4 ft	F-P	M	A,L	White, June-July	Moist meadows & woodland edges	3.60	
<i>Penstemon hirsutus</i>	Hairy Beard-tongue	1-2 ft	F-P	D-M	A,S	Pink, June-Aug	Dry meadows & prairies	3.60	
<i>Physostegia virginiana</i>	Obedient Plant	2-5 ft	F-P	M-W	L,A	White, Aug-Sept	Moist thickets, prairies & meadows	3.60	
<i>Phytolacca americana</i>	Pokeweed	4-10 ft	F-P	M,W	A,L,C	Pink/White, Jun-Sep	Open wet woods, thickets & meadows	3.60	
<i>Podophyllum peltatum</i>	Mayapple / Mandrake	12-18 in	S-P	M	L	White, May	Rich, moist deciduous woods & pastures	4.94	
<i>Potentilla anserina</i>	Silvery Cinquefoil	6-10 in	F	W-M	S	Yellow, June-Sept	Shorelines & moist to wet open places	3.60	
<i>Potentilla arguta</i>	Tall Cinquefoil	2-3 ft	F	D-M	S	White, June-Aug	Prairies, dry meadows & sandy hills	3.60	
<i>Potentilla simplex</i>	Common Cinquefoil	6-10 in	F	D-M	S,A	Yellow, June	Dry meadows, prairies & roadsides	3.60	
<i>Prenanthes alba</i>	White Lettuce	12-18 in	P-S	D-M	S,L,A	Cream, Aug-Sept	Dry to moist woodlands, biennial	4.94	
<i>Pycnanthemum pilosum</i>	Hairy Mountain Mint	2-3 ft	F	D	S,A	White, July-Aug	Meadows & prairies, attracts butterflies	3.60	
<i>Pycnanthemum virginianum</i>	Virginia Mountain Mint	2-3 ft	F	D-M	A,C,S	White, July-Aug	Dry to moist prairies & meadows, attracts butterflies	3.60	
<i>Pycnanthemum tenuifolium</i>	Slender Mountain Mint	1-2 ft	F	D	A,C,S	White, July-Aug	Dry open woods, fields, thickets & prairies	3.60	
<i>Ratibida columnifera</i>	Long-headed Coneflower	1-2 ft	F	D	S	Yellow, June-July	Prairies & dry meadows, compact, drought tolerant	3.60	
<i>Ratibida pinnata</i>	Gray-headed Coneflower	3-4 ft	F	D-M	A,C,S	Yellow, July-Aug	Dry prairies & meadows, often on limestone	3.60	
<i>Rudbeckia hirta</i>	Black-eyed Susan	2-3 ft	F-P	D-M	A,C,S	Yellow, July-Aug	Dry meadows & prairies, biennial/short-lived perennial	3.60	
<i>Rudbeckia laciniata</i>	Cut-leaved Coneflower	4-6 ft	F-P	M-W	A,C,S	Yellow, Aug-Sept	Moist, low, open places	3.60	
<i>Rudbeckia triloba</i>	Thin-leaved Coneflower	3-5 ft	F-P	M	A,C,S	Yellow, Aug-Oct	Moist, open woods & meadows	3.60	
<i>Sanguinaria canadensis</i>	Bloodroot	6-12 in	S-P	M	L	White, April	Rich deciduous woods, floodplains, slopes	4.94	
<i>Sanguisorba canadensis</i>	Canadian Burnet	2-5 ft	F-P	M-W	A,C,S	White, Aug-Sept	Wet meadows, marshes and bogs	3.60	
<i>Sida hermaphrodita</i>	Virginia Mallow	4-6 ft	P-F	M-W	L	White, July-Aug	Floodplains, low moist meadows	3.60	
<i>Silphium perfoliatum</i>	Cup-plant	6-8 ft	F-P	M	A,C	Yellow, Aug-Sept	Meadows, prairies & woodland edges	3.60	
<i>Silphium terebinthinaceum</i>	Prairie Dock	5-8 ft	F	M-D	A,C	Yellow, Aug-Sept	Prairies & open woods	3.60	
<i>Sisyrinchium montanum</i>	Blue-eyed Grass	6-12 in	F-P	M	A,S	Blue, May-June	Meadows, compact, dainty, attractive & tidy	3.60	
<i>Solidago bicolor</i>	Silver Rod	12-30 in	F	D-M	A,C,S	White, Aug-Sept	Dry open woods & rocky slopes, unusual	3.60	
<i>Solidago caesia</i>	Blue-stemmed Goldenrod	2-3 ft	S-P	M	L,A	Yellow, Aug-Sept	Woodlands	3.60	
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod	1-3 ft	S-P	M-D	A,C,S	Yellow, Aug-Sept	Dry, deciduous woodlands, aggressive	3.60	
<i>Solidago nemoralis</i>	Gray Goldenrod	1-2 ft	F	D	A,S,C	Yellow, Aug-Sept	Dry meadows, dunes & open upland woods	3.60	
<i>Solidago patula</i>	Rough-leaved Goldenrod	2-4 ft	F-P	W-M	A,S,C	Yellow, Aug-Sept	Swamps & wet meadows	3.60	
<i>Solidago ptarmicoides</i>	Upland White Goldenrod	10-12 in	F	D	S,A	White, Aug-Sept	Alvars, prairies & limestone pavements	3.60	
<i>Solidago riddellii</i>	Riddell's Goldenrod	2-4 ft	F	W-M	L,C	Yellow, Aug-Oct	Wet meadows, moist prairies & swamps, rare plant	3.60	
<i>Solidago rigida</i>	Stiff Goldenrod	3-5 ft	F	M-D	A,C,S	Yellow, Aug-Oct	Meadows & prairies, flat-topped flower clusters	3.60	
<i>Solidago rugosa</i>	Rough-stemmed Goldenrod	3-6 ft	F-P	M	A,C,S	Yellow, Aug-Sept	Fields, meadows & prairies, long, showy blooms	3.60	
<i>Solidago sempervirens</i>	Seaside Goldenrod	4-6 ft	F	M	S,A	Yellow, Aug-Oct	Saline and sandy places, tall, showy blooms	3.60	
<i>Solidago squarrosa</i>	Squarrose / Stout Goldenrod	3-5 ft	F-P	M-D	A,S,C	Yellow, Aug-Sept	Dry open woods, thickets & rocky areas	3.60	
<i>Solidago uliginosa</i>	Marsh Goldenrod	3-5 ft	F	W	L,C	Yellow, Aug-Sept	Swamps, bogs & wet thickets	3.60	
<i>Taenidia integerrima</i>	Yellow Pimpernel	16-30 in	F-P	D-A	A,S,C	Yellow, May-June	Open woods, rocky hillsides & slopes	3.60	
<i>Thalictrum dioicum</i>	Early Meadow-rue	12-18 in	S-P	M	L	Green, May	Rich deciduous woods	4.94	
<i>Thalictrum pubescens</i>	Tall Meadow-rue	6-8 ft	F-P	M-W	L,A	White, July	Wet open woods & meadows, swamps, streambanks	3.60	
<i>Tiarella cordifolia</i>	Foamflower	6-10 in	S-P	M	L,C	Yellow, May	Rich deciduous woods, excellent groundcover	4.94	
<i>Trillium grandiflorum</i>	White Trillium	8-18 in	S-P	M	L	White, May	Rich deciduous woods, limited quantities	7.93	
<i>Uvularia grandiflora</i>	Large-flowered Bellwort	12-18 in	S-P	M	L	Yellow, May	Rich deciduous woods, limited quantities	7.93	
<i>Verbena hastata</i>	Blue Vervain	3-4 ft	F-P	W-M	L,C,A	Purple, July-Aug	Moist to wet meadows & prairies	3.60	
<i>Verbena stricta</i>	Hoary Vervain	2-3 ft	F	M-D	S,A	Purple, July-Aug	Dry prairies & meadows, showy blooms, biennial	3.60	
<i>Vernonia altissima</i>	Tall Ironweed	5-8 ft	F-P	W-M	L,C,A	Purple, Aug-Sept	Moist meadows, wet open woods, marshes	3.60	
<i>Vernonia noveboracensis</i>	New York Ironweed	3-6 ft	F-P	W-M	L,C,A	Purple, Aug-Sept	Moist meadows, wet open woods, marshes	3.60	
<i>Veronicastrum virginicum</i>	Culver's Root	3-5 ft	F-P	M	A,S,L	White, July-Aug	Moist prairies & meadows, smart looking structure	3.60	
<i>Viola pensylvanica</i>	Smooth Yellow Violet	4-12 in	S-P	D	L,C,A	Yellow, May-June	Rich, moist deciduous woods	4.94	
<i>Viola pubescens</i>	Downy Yellow Violet	6-12 in	S-P	M	L,A	Yellow, May-June	Well-drained deciduous woods	4.94	
<i>Waldsteinia fragarioides</i>	Barren Strawberry	3-6 in	P	M-D	L,A	Yellow, May	Woods & clearings, tolerates acidic soil	3.60	
<i>Zizia aurea</i>	Golden Alexanders	1-3 ft	P	M	A,S,C	Yellow, May-June	Meadows, shores, moist woods & thickets	3.60	

**TREES, SHRUBS & VINES**

RETAIL PRICE

<i>Acer pensylvanicum</i>	<b>NEW!</b> Striped Maple	25-30 ft	S-P	M	L,S,A	Green, June	Small understory tree, tolerant of deep shade	5.34	9.00
<i>Acer saccharum</i>	Sugar Maple	70-90 ft	F-S	M	L	Green, May	Woodlands, thickets	5.34	9.00
<i>Acer spicatum</i>	Mountain Maple	15-30 ft	P-S	W	L	Green, June	Wet woods, swamps & thickets	5.34	9.00
<i>Amelanchier arborea</i>	Downy Serviceberry	12-15 ft	F-P	M-D	S,A,C	White, May	Open fields, rocky slopes, woodland edges, bluffs		9.00
<i>Amorpha canescens</i>	Lead Plant	1-3 ft	F	D-M	S,A	Lavender, July-Aug	Dry prairies & sandy open woods		12.00
<i>Aronia melanocarpa</i>	Black Chokeberry	5-7 ft	F-P	W-M	A,C,L	White, May-June	Bogs, swamps, wet woods	5.34	9.00
<i>Betula papyrifera</i>	White Birch	40-60 ft	F-P	M-D	A,S,C	Yellow, May-June	Forest edges, lakeshores, lowlands, shade intolerant	5.34	9.00
<i>Celastrus scandens</i>	American Bittersweet Vine	20-24 ft	F-P	M	S,A	Green, June	Edges of woods, thickets & meadows, orange berries		9.00
<i>Cephalanthus occidentalis</i>	Eastern Buttonbush	6-8 ft	F-P	W	L	White, July	Bogs, marshes, along streams & ponds	5.34	9.00
<i>Clematis virginiana</i>	Virgin's Bower	6-12 ft	F-P	M	A,C,L	White, July	Woodland edges & riverbank thickets	5.34	9.00
<i>Cornus alternifolia</i>	Alternate-leaved Dogwood	12-18 ft	P	M	A,C,L	White, June	Open woods, thickets, slopes & ravines	5.34	9.00
<i>Cornus amomum</i>	Silky Dogwood	7-9 ft	F-P	M-W	A,C,L	White, July	Marshes, wet woods, stream edges	5.34	9.00
<i>Cornus drummondii</i>	<b>NEW!</b> Rough-leaved Dogwood	9-12 ft	F-P	D-M	A,S,C	White, June	Woodland edges & streambanks, uncommon in Ontario		9.00
<i>Cornus racemosa</i>	Gray Dogwood	6-8 ft	F-P	M-D	A,S,C	White, June	Thickets, roadsides, fencerows, slopes & ridges	5.34	9.00
<i>Cornus rugosa</i>	<b>NEW!</b> Roundleaf Dogwood	3-10 ft	P	D-M	S,A	White, June	Open woods, thickets, ravine slopes, calcareous soil	5.34	
<i>Cornus stolonifera</i>	Red-Osier Dogwood	6-8 ft	F-P	W	A,C,L	White, June	Swamps, wetlands, edges of streams, wet meadows	5.34	9.00
<i>Corylus americana</i>	American Hazelnut	6-8 ft	F	D	S,A	Green, April-May	Thickets, edges of woods, slopes & ravines, edible nuts	5.34	9.00
<i>Crataegus sp.</i>	Hawthorn	16-24 ft	F	M-D	A,C	White, May-June	Thickets, hedgerows, roadsides, & rocky ground	5.34	9.00
<i>Diervilla lonicera</i>	Northern Bush-honeysuckle	2-3 ft	F-P	M-D	A,S	Yellow, June-July	Dry open woods, thickets & hillsides	5.34	9.00
<i>Eunoyous obovatus</i>	Running Strawberry Bush	8-12 in	S-P	M	L,C,A	Green, May-June	Rich, moist deciduous woods & ravines	6.67	
<i>Fraxinus americana</i>	White Ash	75-90 ft	F-P	M	L,C,A	Green, May	Upland woods	5.34	

Culture: Sun: F=Full P=Part Shade S=Full Shade

Moisture: D=Dry M=Moist W=Wet

Soil: S=Sand/Gravel C=Clay L=Loam/Organic A=Average

GRAND MORAINÉ GROWERS - 2009

Latin Name	Common Name	Height	Sun	Moisture	Soil	Bloom	Habitat & Notes	3½ inch Pot	5½ inch or 1 Gal
------------	-------------	--------	-----	----------	------	-------	-----------------	-------------	------------------

TREES, SHRUBS & VINES (CONTINUED)

RETAIL PRICE

<i>Fraxinus nigra</i>	Black Ash	65-80 ft	F	W-M	L,C,A	Green, May	Wet woods and swamps, intolerant of shade		9.00
<i>Fraxinus pennsylvanica</i>	Green Ash	65-80 ft	F-P	M-W	L,C,A	Green, May	Moist or wet woods, fast growing species	5.34	9.00
<i>Gleditsia triacanthos</i>	Honey Locust	60-75 ft	F	M	L,C,A	Green, May	Moist, rich bottomlands, open woods, shade intolerant	5.34	9.00
<i>Hamamelis virginiana</i> <b>NEW!</b>	Witch-hazel	12-15 ft	P	D-M	S,A	Yellow, Oct-Nov	Open woods, edges, slopes & ravines, large shrub		9.00
<i>Hypericum kalmianum</i> <b>NEW!</b>	Kalm's St. John's-wort	2-3 ft	F	M-D	S,A	Yellow, July-Aug	Sandy and rocky shorelines, prefers calcareous soil	5.34	9.00
<i>Hypericum prolificum</i>	Shrubby St. John's-wort	2-4 ft	F	D-M	S,A	Yellow, July-Aug	Open dry woods, fields & sandy plains	5.34	9.00
<i>Ilex verticillata</i>	Black Alder / Winterberry	6-15 ft	F-P	W	L,A,C	Green, May-June	Swamps, bogs, damp thickets, tolerates acid soil	5.34	9.00
<i>Juniperus virginiana</i> <b>NEW!</b>	Eastern Red Cedar	30-50 ft	F	D-M	S,A,C	Green, May	Rocky ridges & dry sandy soil, adaptable to poor soils	5.34	9.00
<i>Lonicera dioica</i>	Glaucous Honeysuckle	8-12 ft	P	M-D	A,S,C	Yellow/Red, June	Open woods, thickets, slopes & shores	5.34	9.00
<i>Menispermum canadense</i>	Canada Moonseed Vine	6-12 ft	S-P	M	S,L	White, June-July	Moist thickets, woods, shady stream & river banks	5.34	
<i>Ostrya virginiana</i> <b>NEW!</b>	Ironwood	30-40 ft	P	M	A,C,S	Green, April-May	Woodlands, well drained slopes & ridges, small tree	5.34	9.00
<i>Parthenocissus inserta</i>	Thicket Creeper	20-30 ft	F-S	M	A,C,L	Green, June	Woods & thickets, tolerates deep shade	5.34	
<i>Physocarpus opulifolius</i>	Ninebark	6-10 ft	F-P	M-D	A,C,S	White, June	Thickets & riverbanks, interest in all seasons	5.34	9.00
<i>Prunus pensylvanica</i>	Pin Cherry	20-30 ft	F	M-D	S,A	White, June-July	Disturbed areas, dry woods, clearings, banks & slopes	5.34	9.00
<i>Prunus pumila</i>	Sandcherry	2-3 ft	F	D-M	S,A	White, June	Shorelines, dunes, rocky slopes & alvars, trailing shrub	5.34	9.00
<i>Prunus virginiana</i>	Choke Cherry	8-12 ft	F-P	D-W	A,C,S	White, May-June	Various, from sandy hills to swamp edges, edible fruit	5.34	9.00
<i>Quercus prinoides</i>	Dwarf Chinquapin Oak	3-9 ft	F-P	D	S	Green, May	Sandy shores, plains, open woods & dunes, rare in Ont		12.00
<i>Rhus aromatica</i> <b>NEW!</b>	Fragrant Sumac	4-5 ft	F-P	D	S,A	Yellow, April-May	Dry woods, hills, sand dunes & rocky soil	5.34	9.00
<i>Ribes americanum</i>	Wild Black Currant	2-3 ft	F-P	M-W	L,A	White, May-June	Low, wet woods, stream banks, open meadows	5.34	9.00
<i>Ribes cynosbati</i>	Prickly Gooseberry	2-3 ft	F-P	M-D	L,S,A	Green, May-June	Open woods on dry to moist and rocky soil	5.34	9.00
<i>Rosa blanda</i>	Smooth Rose	2-4 ft	F-P	D-M	A,S,C	Pink, June-July	Meadows, thickets, open woods, sandy banks	5.34	9.00
<i>Rosa carolina</i>	Pasture Rose	2-3 ft	F-P	D-M	S,A	Pink, June-July	Roadsides, edges of woods & pastures, dunes, prairies		9.00
<i>Rosa palustris</i>	Swamp Rose	4-6 ft	F-P	W	L,C	Pink, June-July	Swamps, wet thickets, damp shores & bogs	5.34	9.00
<i>Rubus flagellaris</i>	Northern Dewberry	6-8 in	F-P	D	S,A	White, June	Shores, dry open woods & thickets, trailing shrub	5.34	
<i>Rubus odoratus</i>	Purple Flowering Raspberry	3-5 ft	F-P	M	A,C	Purple, June-July	Clearings, thickets, ravines & woodland edges		9.00
<i>Rubus pubescens</i> <b>NEW!</b>	Dwarf Raspberry	4-12 in	F-P	M	C,S,L	White, May-June	Damp woods, bogs and creek banks	5.34	
<i>Salix candida</i>	Hoary Willow	5-7 ft	F-P	W	L,C	Pink, April-May	Cold wet meadows, marsh edges, lakeshores		9.00
<i>Salix cordata</i>	Heart-leaved Willow	6-9 ft	F-P	M-W	S,C,L	Green, May-June	Shores, banks & dunes, on silty, sandy or gravelly soil		9.00
<i>Sambucus canadensis</i>	Canada Elderberry	6-8 ft	F-P	W-M	A,L,C	White, June	Moist open woods, thickets, low ground	5.34	9.00
<i>Sambucus racemosa</i>	Red-berried Elderberry	6-8 ft	F-P	M	A,L,C	White, May	Thickets, ravines & open woods	5.34	9.00
<i>Shepherdia canadensis</i>	Soapberry / Buffalo Berry	4-6 ft	F-P	D	S,A	Green, April-May	Sandy or gravelly calcareous slopes, shores & banks		9.00
<i>Spiraea alba</i>	Narrow-leaved Meadowsweet	3-5 ft	F	W	L,S,C	White, July-Aug	Moist meadows & swamps	5.34	9.00
<i>Spiraea tomentosa</i>	Steeple Bush	2-3 ft	F-P	W	L,S,C	Pink, July-Aug	Swamps & wet meadows, prefers acidic soil	5.34	9.00
<i>Staphylea trifolia</i>	Bladdernut	12-16 ft	F-P	M	S,A,C	White, June	Rocky woods, banks, talus slopes & ridges		9.00
<i>Symphoricarpos albus</i>	Snowberry	2-3 ft	F	D-M	S,A	Pink/White, Jun-July	Sandy & rocky open ground, thickets & on talus slopes	5.34	9.00
<i>Thuja occidentalis</i>	Eastern White Cedar	6-30 ft	F-S	W-D	L,S,A	Green, May	Many habitats from swamps to dry areas	5.34	
<i>Tilia americana</i>	American Basswood	100 ft	F-P	M	A,L,C	Cream, July	Moist, wooded cool slopes	5.34	9.00
<i>Ulmus americana</i>	American Elm	110 ft	F-P	M-W	A,L,C	Green, April-May	Moist meadows, swamp edges, alluvial flats	5.34	9.00
<i>Viburnum acerifolium</i>	Maple-leaved Viburnum	3-6 ft	F-P	D-M	A,S,C	White, June	Dry to moist open woods, thickets, slopes, & ravines	5.34	9.00
<i>Viburnum lentago</i>	Nannyberry	12-18 ft	F-P	M-W	L,C,A	White, May-June	Swamps, marshes, edges of low woods & thickets	5.34	9.00
<i>Viburnum rafinesquianum</i> <b>NEW!</b>	Dowry Arrow-wood	4-6 ft	F-P	D	S,L,A	White, May-June	Thickets, open woods, hillsides & riverbanks	5.34	
<i>Viburnum trilobum</i>	Highbush Cranberry	9-12 ft	F-P	W-M	L,C,A	White, June	Moist meadows & thickets, swamp & stream edges	5.34	9.00
<i>Vitis riparia</i>	Frost Grape	15-20	F-P	M	A,C,S	Green, May-June	Riverbanks, thickets, open sandy or rocky ground	5.34	9.00
<i>Zanthoxylum americanum</i> <b>NEW!</b>	Prickly Ash	6-10 ft	F-P	M	L,S,A	Green, May	Moist valleys, woods, thickets, lowlands, Citrus family		9.00

GRASSES, SEDGES & RUSHES

RETAIL PRICE

<i>Agrostis scabra</i>	Rough Bentgrass	2-3 ft	F	D-M	S,A	Green, Jul-Aug	Meadows, prairies, many other habitats	3.60	
<i>Andropogon gerardii</i>	Big Bluestem	3-7 ft	F	D-M	S,C,A	Green, Aug-Sept	Prairies & sandy shorelines	3.60	
<i>Bouteloua curtipendula</i>	Side-oats Grama	18-30 in	F	D	S,A,C	Brown, July-Aug	Prairies, sandy hills, open dry woods	3.60	
<i>Bromus ciliatus</i>	Fringed Brome	2-3 ft	F-P	W	A,C,L	Green, Aug	Moist open woods, stream banks	3.60	
<i>Bromus kalmii</i>	Prairie Brome	1-3 ft	F	M-D	S,C,A	Green, Aug	Prairies, dry open woods, rocky & sandy banks	3.60	
<i>Carex atherodes</i>	Hairy-leaved Lake Sedge	2-3 ft	F	W	L,A	Green, June-July	Marshes & floodplains	3.60	
<i>Carex aurea</i>	Golden Sedge	4-6 in	F	W	S,A	Green, June	Found in moist-wet shores & meadows, calcareous soil	3.60	
<i>Carex bicknellii</i>	Copper-shouldered Sedge	2-3 ft	F	D-M	S,A	Brown, May-June	Dry prairies, old fields & dry slopes	3.60	
<i>Carex crinita</i>	Fringed Sedge	2-3 ft	P	W	L,A	Brown, June-July	Wet open woods & swales	3.60	
<i>Carex eburnea</i>	Ebony Sedge	6-10 in	F-P	D-M	A,S	Green, June	Rocky & sandy outcrops, calcareous soil	3.60	
<i>Carex flava</i>	Yellow Sedge	1-2 ft	F-P	W	L,C	Brown, June	Bogs & wet meadows	3.60	
<i>Carex grayii</i>	Gray's Sedge	18-30 in	F-P	W	L,A	Green, July	Open wet woods, wet meadows, bold globular blooms	3.60	
<i>Carex hystericina</i>	Porcupine Sedge	1-3 ft	F	W	L,A	Green, June-Aug	Wet meadows, swamps & shores	3.60	
<i>Carex muskingumensis</i> <b>NEW!</b>	Muskingum Sedge	20-40 in	F-P	M-W	L,C,A	Green, June-July	Wet meadows & woods, Palmtree-like bold structure	3.60	
<i>Carex pensylvanica</i>	Pennsylvania Sedge	6-12 in	P-F	M-D	A	Brown, May-June	Open woods & dry savannas, grass alternative	3.60	
<i>Carex sprengei</i>	Long-beaked Sedge	2-3 ft	P-S	M	L	Green, May	Moist deciduous woods, wooded terraces	3.60	
<i>Carex tuckermanii</i>	Tuckerman's Sedge	2-3 ft	F-P	M	L	Brown, May-June	Moist open woods, wooded terraces	3.60	
<i>Elymus canadensis</i>	Canada Wild Rye	2-3 ft	F	D-M	S,A	Green, Aug-Sept	Prairies, dry meadows, dunes & sand shores	3.60	
<i>Elymus hystrix</i>	Bottle-brush Grass	2-4 ft	S-P	M	A,C,S	Green, July-Aug	Open deciduous woods	3.60	
<i>Elymus riparius</i>	Riverbank Wild Rye	2-4 ft	P-F	W	L,C	Green, July-Aug	Stream banks & moist shorelines	3.60	
<i>Elymus virginicus</i>	Virginia Wild Rye	2-3 ft	P-F	W	L,C	Green, July-Aug	Stream banks & moist shorelines	3.60	
<i>Festuca saximontana</i>	Rocky Mountain Fescue	8-12 in	F	D-M	S,A	Brown, June-July	Sandy shores, dunes & exposed rocks, blue colour	3.60	
<i>Hierochloa odorata</i>	Sweet Grass	1-2 ft	F-P	W-M	L,A	Green, June	Moist meadows, fragrant sacred herb of First Nations	3.60	
<i>Koeleria macrantha</i>	June Grass	1-2 ft	F	D-M	S,A	Green, June	Prairies, open woods, sandy hills & dunes	3.60	
<i>Muhlenbergia mexicana</i>	Mexican Satin Grass	2-3 ft	F-P	W	L,A	Green, July-Aug	Moist meadows & stream banks	3.60	
<i>Panicum virgatum</i>	Switch Grass	4-6 ft	F	M-D	S,C,A	Green, Aug-Sept	Prairies, open woods, dunes & shores	3.60	
<i>Schizachyrium scoparium</i>	Little Bluestem	2-3 ft	F	D-M	S,C,A	Brown, Aug-Oct	Prairies, alvars, sandy shorelines, compact & attractive	3.60	
<i>Scirpus atrovirens</i>	Green Bulrush	3-4 ft	F	W	L,C	Brown, July-Aug	Swamps & wet meadows	3.60	
<i>Sorghastrum nutans</i>	Indian Grass	3-6 ft	F	D-M	S,C,A	Brown, Aug-Oct	Moist or dry prairies, open woods & fields	3.60	
<i>Spartina pectinata</i>	Slough Grass / Cord Grass	4-7 ft	F-P	W-M	L,C,A	Green, Aug-Sept	Wet prairies, marshes, shorelines & riverbanks	3.60	
<i>Sporobolus cryptandrus</i>	Sand Dropseed	18-30 in	F	D	S,A	Brown, Aug	Prairies & dry sandy places	3.60	

Culture: Sun: F=Full P=Part Shade S=Full Shade

Moisture: D=Dry M=Moist W=Wet

Soil: S=Sand/Gravel C=Clay L=Loam/Organic A=Average